



Accsoon CineView HE RX

ProdCode: ACSWIT04HERX

HDMI Wireless video receiver



[Download Images] (.zip file)

Features

- HDMI Wireless video transmitter and receiver
- 2.4GHz+5GHz Dual-Band Transmission Technology Latency Less Than 0.06s
- Long-Distance Transmission of 1200 ft/350m HDMI In and Loop out, USB Video Class (UVC) Out 1 Transmitter for 4 Devices, Mix and Match
- No Fan Design
- Powered by DC Input, NP-F Battery or USB-C Wireless Remote Monitoring App Accsoon Go Automatic Channel Selection
- Easy Group Pair
- FHD Video and High-Quality Audio Transmission Aerospace-Grade Aluminum Alloy
- 1.3 inch OLED Screen
- Firmware Update with Ease
- Quick Installation & Easy to Carry

The CineView SE is a wireless video transmitter and receiver, with new best in class latency at under 50ms, the CineView SE can transmit a video source via SDI & HDMI up to 1080p 60fps inputs/outputs. It transmits the signal on 2.4GHz+5GHz Dual-Band frequencies simultaneously for increased signal stability and sends video at an impressive maximum range of 1200ft line-of-sight.

Market proved wireless stability

The CineView SE utilizes dual-band transmission technology, which allows it to stream video via 2.4GHz and 5GHz Wi-Fi at the same time. The receiver can then intelligently identify interference and combine the two streams to form the complete audio and video stream.

Superlow. Superfar

The CineView SE is the most powerful model ever created for a faster, more responsive feel. Add to that a strong and powerful enough signal that can transmit up to 1200ft distance.

Compact and lightweight. Easy to rig

Rugged design with a 1.3-inch OLED display that fits in the palm of your hand. The solid aerospace-grade aluminum construction keeps the weight of the units down to a minimum.

Lower power draw for longer shootings

Choose between an NP-F style battery, a DC input port (7.4V~16.8V) as well as a USB-C power source (5V).

Enjoy monitoring on up to 4 different devices

- Dedicated Receiver
- iPhone, iPad, Android phone and tablet
- iMac, Macbook(M1)

