



## **ATEN CL5800N**

**ProdCode: ATENCL5800N**

Dual Rail LCD Console (PS/2-USB, VGA)



[\[Download Images\]](#) (.zip file)

### **Features**

- Dual Rail LCD Console (PS/2-USB, VGA)
- Exclusive LED illumination light - designed by ATEN to illuminate the keyboard and touchpad to allow visibility in low-light conditions
- Integrated KVM console with a 19" LED-backlit LCD monitor in a dual rail housing with top and bottom clearance for smooth operation in a 1U high system rack
- Supports input video resolutions up to 1920 x 1200@60 Hz
- Supports an external console\* with either PS/2 or USB connectors

The CL5800 is a LCD KVM console featuring an integrated 19" LED-backlit LCD panel, a full keyboard, and a touch pad in a 1U rack-mountable sliding housing.

The CL5800's LCD and keyboard/touch pad modules slide independently of each other. To maximize space in your data center, the keyboard/touch pad module slides back to "hide away" when not in use, while the thin profile LCD monitor rotates back - flush against the rack - allowing convenient monitoring of computer activity. For added convenience, ports for an external PS/2 or USB keyboard and mouse as well as a monitor are provided on the rear panel.

Note: Optional rack mount kits are available.

**In the box:**

- 1x CL5800 Dual Rail LCD PS/2-USB Console with Standard Rack Mount Kit
- 1x Custom KVM Cable (VGA, USB, PS/2; 1.8m/6ft)
- 1x Power Cord
- 1x Firmware Upgrade Cable
- 1x Extension Kit
- 1x User Instructions

