



ATEN KE9950ATC

ProdCode: ATENKE9950ATC

KE9950 Air Traffic Control Bundle Solution



[Download Images] (.zip file)

Features

- KE9950 Air Traffic Control Bundle Solution
- Enhanced point-to-point extender for redundant server architecture
- Switching immediately between primary and redundant servers by pre-defined hotkey
- Supports 2K x 2K video resolution (2048 x 2048 @ 60 Hz); default EDID resolution up to 1920 x 1080
- Supports power / network failover – 2 DC jacks for power redundancy and 1 RJ-45 & 1 SFP fiber ports for network failover to ensure constant availability for mission-critical applications

ATEN KE9950 Air Traffic Control Bundle Solution consists of two high performance IP-based transmitters (KE9950T) that connect to two PCs / servers and an IP-based receiver (KE9950R), providing console access from a separate location. The solution builds effortless IP extension that eliminates the distance restrictions of control room management, enabling a faster response to mission-critical data center emergencies. With Primary Secondary Architecture, the KE9950 Air Traffic Control Bundle Solution enables connection to a primary and a secondary computers that allows instant system failover via hotkey switching without moving around workstations. The deployment of ATEN KE9950 Air Traffic Control Bundle Solution allows access to a computer system from a remote USB DisplayPort console (USB keyboard / mouse and DisplayPort monitor) over the intranet, allowing the computer to be located in a secure and temperature controlled environment, which is also isolated from the user workstation.

KE9950T / KE9950R features one DisplayPort display at each end, providing video resolutions up to 3840 x 2160 @ 30 Hz (4:4:4) as well as flawless and lossless video compression quality with extremely low latency. KE9950T and KE9950R both support connections via an RJ-45 port or a SFP slot. The transmitter KE9950T and receiver KE9950R working as an IP-based extender can be connected either directly to each other or via a high-speed network, over a copper-based or fiber-based LAN, ensuring 24/7 availability of remote access to servers. To connect via the SFP slot, the extender supports 1Gbps SFP fiber module expansions, enabling connections via fiber optic network to extend transmission distances up to 10 km.

Other key highlights of the KE9950 Air Traffic Control Bundle Solution include that the solution features the dedicated LAN port for KE direct connections which can be isolated from the corporate network; it also provides secure data transmission – AES 128-bit encryption to secure all data before transmitted over a network and decrypts the data on the receiver. The solution adopts industry standard Transport Layer Security (TLS) protocol. Moreover, the KE9950 Air Traffic Control Bundle Solution features dual power supplies for redundancy. Eliminating the need for a power adapter and effectively reducing the power configuration cost. The LAN and power redundancy supports dual power and network connections for system failover, ensuring robust system uptime.

In particular, ATEN KE9950 Air Traffic Control Bundle Solution supports the exceptional 2K x 2K screen resolutions dedicated for radar monitoring in Approach Control Room and Area Control Center specific in air traffic control scenario. It allows customizable hotkey settings for instant network port switching without going via CCKM – KVM over IP Matrix Manager, within the network of 2x Tx and 1x Rx

deployment. These make the KE9950 Air Traffic Control Bundle Solution perfect for the ATC industry.

In the box:

- 2x KE9950T DVI-D KVM over IP Transmitter
- 1x KE9950R DP KVM over IP Receiver
- 2x DisplayPort Cable
- 2x USB KVM Cable
- 3x Power Adapters
- 3x Power Cords
- 2x Mounting Kit
- 3x User Instructions

