

## Cartoni Lifto 25

ProdCode: CARKPTZ0201

Motorized elevation column optimized for use with PTZ cameras



[Download Images] (.zip file)

## **Features**

- Motorized elevation column optimized for use with PTZ cameras
- Extremely silent elevation motor
- Height range 57cm (22.5") to 250 cm (98.4") measured on dolly (ordered separately)
- Maximum payload 25 kg (55 lbs)
- Smart deployment tripod for great torsional rigidity and fast set-up
- Bluetooth & wired remote control unit
- 3 position pre-settings for fast routine repositioning
- Built-in spreader and rubber feet
- Quick release camera attachment for PTZ cameras with camera safety ring

The Cartoni Lifto 25, specifically designed for PTZ cameras, adds extremely smooth on-air quality vertical moves and creativity to enhance productions. This solution adds to the Pan & Tilt, and zoom control, additional height movement as a natural feature.

Lifto 25 Motorized Elevation Column offers broadcast quality performance and height range at a competitive price.

The increasing need for robotics in small studios, newsrooms, talk shows, educational and houses of worship, make the Lifto 25 a must have in studio or eventing.

The easy and reliable control unit is connected via wire or optional Bluetooth. The manual control has 3 position pre-settings for fast routine repositioning.

Lifto 25 Motorized Elevation Column performs great versatility in height range, from 57 cm (22.5") minimum to 238 cm (93.7") maximum, on stock rubber feet. The motorized column offers a two stage, 66 cm (26") stroke at 25 kg/55 lbs capacity.

The special Cartoni SDS tripod structure ensures great stability and torsional rigidity to the column and allows accurate movements, including shots with wide angle aperture. The motor actuator is extremely silent and operates with no vibration.

This PTZ System comes equipped with a built-in spreader and rubber feet, a quick release camera attachment for PTZ cameras and a safety ring to secure the camera. It can be mounted on the Cartoni lightweight dolly for easy traveling on the studio floor.

The Lifto 25 unit will also pack into a compact high quality wheeled case for easy transportation, available to order as an accessory.

