



Cartoni Lifto Twin Pro

ProdCode: CARKPTZ0202

Motorized Elevation Column with remote control unit, SDS tripod, smart lock spreader & rubber feet



[\[Download Images\]](#) (.zip file)

Features

- Motorized Elevation Column with remote control unit, SDS tripod, smart lock spreader & rubber feet
- Double Motorized elevation column optimized for use with PTZ cameras
- Extremely silent elevation motor
- Height range 118 cm (46.4") to 400 cm (157.5?) payload 20 kg (44 lbs)
- Smart deployment tripod for great torsional rigidity and fast set-up
- Ethernet remote control unit
- Variable speed and multiple selectable position pre-settings for fast routine repositioning
- Built-in spreader and rubber feet
- Safe camera attachment for PTZ cameras
- Compatible with additional column
- Compatible with Companion software

Whether at a live event, in a studio or house of worship, The Cartoni Lifto 25/S Twin Pro with RX Box supports your vision. The Lifto 25/S Twin Pro with RX Box brings smooth on-air quality movement utilizing the vertical high range as a natural shot. The Lifto 25/S Twin Pro elevation unit is designed to work with most major PTZ Camera Controllers including Panasonic, Visca, Skaarhoj and Sony through a dedicated RX Box. Setting up in minutes, the Lifto 25/S Twin Pro easily connects directly into the RX Box and through an ethernet cable to the camera controller for variable speed and preset positioning, while the joystick controls up/down movement.

The Lifto 25/S Twin Pro can also be controlled /programmed independently through the optional KPTZ0205 TX box and foot pedals.

Lifto Twin Pro Motorized Elevation Column performs great versatility in height range, from 114 cm (44.8") minimum to 400 cm (157.5") maximum, The motorized column offers a four stage, 132 cm (52") stroke at 20 kg (44 lbs) capacity.

The special Cartoni SDS tripod structure ensures great stability and torsional rigidity to the column and allows accurate movements, including shots with wide angle aperture. The motor actuator is extremely silent and operates with no vibration.

This PTZ System comes equipped with a built-in spreader and rubber feet, a safe camera attachment for PTZ cameras.

It can be mounted on the Cartoni lightweight dolly for easy traveling on the studio floor.

The Lifto 25/S Twin Pro unit will also pack into a compact high quality wheeled case for easy transportation, available to order as an accessory.

