



Cartoni Lifto 25/S

ProdCode: CARKPTZ0301

Motorized elevation column optimized for use with PTZ cameras



[\[Download Images\]](#) (.zip file)

Features

- Motorized elevation column optimized for use with PTZ cameras
- Cartoni Lifto 25 /S Motorized Elevation Column with remote control unit, SDS tripod, smart lock spreader & rubber feet
- Extremely silent elevation motor
- Height range 60cm (23.6") to 254 cm (100") – measured on dolly (ordered separately)
- Maximum payload 25 kg (55 lbs)
- Smart deployment tripod for great torsional rigidity and fast set-up
- Bluetooth & wired remote control unit
- 3 position pre-settings for fast routine repositioning
- Safe release camera attachment for PTZ cameras with camera safety ring
- XLR connector
- Compatible with additional column
- Optional Dolly for easy movements around location

The Cartoni Lifo 25/S was specifically designed for PTZ cameras, bringing extremely smooth on-air quality vertical movements and creativity to enhance productions. This solution adds to the Pan & Tilt, and zoom control, additional height movement as a natural feature.

Lifo 25/S Motorized Elevation Column offers broadcast quality performance and height range at a competitive price.

Setting up in minutes, the Lifo 25/S with an easy and reliable hardwire hand control unit allows for continuous movement throughout the range and 3 position pre-settings. The perfect solution for small studios, educational, live events and House Of Worship.

The easy and reliable control unit is connected via wire or optional Bluetooth. The manual control has 3 position pre-settings for fast routine repositioning.

Lifo 25/S Motorized Elevation Column performs great versatility in height range, from 60 cm (23.6") minimum to 254 cm (100") maximum. The patented Smart Deployment Series (SDS) two stage tripod with Smart-Stop Mid-Level spreader are engineered for great stability and rigidity . The extremely smooth and silent motorized column offers a two stage, 66 cm (26") stroke at 25 kg/55 lbs capacity.

The Lifo 25/S can be converted to a Lifo 25/S Twin with the APTZ008 column or Lifo 25/S PRO or TwinPro by purchasing APTZ009 column upgrade and KPTZ0206 RX box.

The Lifo 25/S unit can be packed in a compact high quality wheeled case for easy transportation, available to order as an accessory.

