



## **Datavideo OBV-4000**

**ProdCode: DATATOBV4000**

4K 8-channel mobile broadcast solution



[\[Download Images\]](#) (.zip file)

### **Features**

- 4K 8-channel mobile broadcast solution
- Transportable Solution for Both In-Studio and On-Location Productions
- Ideal for video switching, communication, recording, intercom, video transmission, audio delay, and scope monitoring

The Datavideo OBV-4000 is a powerful, mobile broadcast solution designed to fit into the back of a small van, providing comprehensive production facilities for both in-studio and on-location shoots. Built around a cutting-edge 4K switcher, the OBV-4000 supports up to 8 channels of 2160p UHD 12G-SDI and HDMI video signals. The system is housed in a rugged aluminium casing and integrated into a sturdy rack with a newly designed Console Desk, ensuring stability and protection during transport and use.

Equipped with essential features such as video switching, communication, recording, intercom, video transmission, audio delay, and scope monitoring, the OBV-4000 is ideal for broadcasters and video professionals who require a reliable, transportable solution that can adapt to various production environments. Its design also allows for future system expansion, making it a versatile tool in the evolving landscape of multimedia production.

## **Kit Includes**

[SE-4000](#)

### **8-Channel 4K Live Switching**

Experience broadcast-grade UHD 4K50/60P quality with the MS-4000's 12G-SDI and HDMI 2.0 input interfaces. The device combines physical full-function buttons with a sleek 5-inch full-color LCD touchscreen. Key features include quad split composition, XPT (Cross Point), AUX output, special effects transitions, PiP (Picture-in-Picture) caption overlays, logo insertion, and audio mixing settings.

[ITC-300](#)

### **New Digital Intercom Function**

Stay connected with the reliable wired digital intercom system, offering 8 channels of clear, noise-free communication. No more worries about interference or disconnections, ensuring smooth operation during live productions.

[TLM-170K](#)

### **4K UHD 17.3-inch LCD Monitoring**

Monitor your production in stunning detail with the high-quality 3840 x 2160 resolution LCD screen. The 17.3-inch display supports 12G-SDI and HDMI 2.0 loop inputs and outputs, making it ideal for broadcast and live production applications.

## [HDR-90](#)

### **ProRes 4K Recording Function**

Capture every moment in ultra-high definition with the ProRes 4K recording capability, supporting 2160p 60 resolution. The MS-4000 can record multiple 1080p video streams simultaneously, ensuring you never miss a detail.

## [AD-200](#)

### **6-Channel Audio Delay/Mixer with Level Adjustment**

Datavideo AD-200 is an integration of 6-Channel audio delay with a matrix mapping function of 4-Channel outputs Audio Mixer, a combination design with front panel and main unit, 2 separate parts by 1RU rack mount design.

## [PD-2A](#)

### **8-way Power Supply Center**

Combine up-to 10 power supplies into a single power connection 400 watt rated power supply.

## **NVS-36**

### **H.265/H.264 Encoding Capability**

Expand your production capabilities with H.265/H.264 encoding for high-quality recording and streaming. Ideal for live events, the MS-4000's NVS-36 supports extended applications for encoding, recording, and streaming in mixed production environments.

