

Hedbox UNIX-0B

ProdCode: HEDUNIX0B

V-Lock Mount Professional Cine Battery Plate



[Download Images] (.zip file)

Features

- V-Lock Mount Professional Cine Battery Plate
- Supplied Breakaway 50cm DC Cable with with 2-pin Push Pull FGG.0B.302 Male Connector

With an installed breakaway DC 14.8V / 10A / 148W power cable, UNIX-0B can be used to power Teradek products and various cameras and devices in the video and photo market. The breakaway cable is 50cm long, with 2-pin Push Pull FGG.0B.302 Male Connector included

- High Quality Aluminium V-lock release
 - Adopting technology that allows a high-quality aluminium alloy V-lock release, the lock and unlock provides up to 10,000 cycles for a V-mount battery on the Unix plate
- 3 x D-Tap DC Power Output

Unix provides three D-Tap 14.8V / 10A DC power outputs. Three D-taps allow for extra power for cameras, on board recorders, LED lights, monitors, remote follow focus, wireless transition systems, etc.

- Multiple Mounting holes for universal camera connection
 With multiple mounting holes, (4 x M3x12 screws provided) Unix is able to mount to any device or camera connection
- Built-in USB 5V / 2.1A Power Out Socket
 The USB 5V / 2.1A output can be used to power any external USB electronic

station	to charge your	n allows you to use the Unix V-lock plate like a power ur cell phone, tablet, or any other electronic devices the USB 5V / 2.1A power				

UNIX Professional Cine Battery V-Mount Plate enables the use of V-Lock battery packs on cameras and/or numerous professional peripherals simultaneously. Featuring a high-quality aluminium v-lock release, Hedbox UNIX plates are designed and tested for up to 10,000 battery cycles.

Three (3) D-Tap DC Power Outputs provide 14.8V / 10A for extra devices and peripherals such as on-board recorders, LED lights, monitors, remote follow focus, wireless transmitters etc. A built-in USB 5V / 2.1A Power Output is located on the top of the UNIX plate.

Designed with versatility in mind UNIX plates have multiple mounting holes to provide universal camera connection or peripheral mounting – 4x M3x12 screws are included with UNIX to mount the plate as required. The UNIX-0B includes a hard-wired 50cm power cable with 2-pin Push Pull FGG.0B.302 Male Connector that can be used to power Teradek products, and various professional photo/video devices that accept FGG.0B.302 Connector

In the box:

- 1x UNIX-0B V-MOUNT PLATE WITH BREAKAWAY 50CM CABLE 2-PIN PUSH PULL FGG.0B.302 MALE CONNECTOR
- 1x SET SCREW M3X12 (4PCS)
- 1x USER MANUAL
- 1x 2 YEAR LIMITED MANUFACTURER"S WARRANTY

