

Hedbox UNIX-0BL

ProdCode: HEDUNIX0BL

Professional Cine Battery V-Mount Plate



[Download Images] (.zip file)

Features

- Professional Cine Battery V-Mount Plate
- Supplied Breakaway 50cm DC Cable with with 2-pin Push Pull FHG.1B.302 Male Right Angle Connector

With an installed breakaway DC 14.8V / 10A / 148W power cable, UNIX-0BL can be used to power Teradek products and various cameras and devices in the video and photo market. The breakaway cable is 50cm long, with 2-pin Push Pull FHG.1B.302 Male Right Angle Connector included

- High Quality Aluminium V-lock release
 Adopting technology that allowed us to use a high-quality aluminum alloy V-lock release, the lock and unlock provides up to 10,000 cycles for a V-mount battery on the Unix plate
- 3 x D-Tap DC Power Output
 Unix provides three D-Tap 14.8V / 10A DC power outputs. Three D-taps allow for extra powering for cameras, onboard recorders, LED lights, monitors, remote follow focus, wireless transition systems, etc.
- Multiple Mounting holes for universal camera connection
 With multiple mounting holes, (4 x M3x12 screws provided) Unix is able to mount onto any device or camera connection
- Built-in USB 5V / 2.1A Power Out Socket
 The USB 5V / 2.1A output can be used to power any external USB electronic

sta	ation to chai	This function allows you to use the Unix V-lock plate like a power charge your cell phone, tablet, or any other electronic devices to wered with USB 5V / 2.1A power					

UNIX Professional Cine Battery V-Mount Plate enables the use of V-Lock battery packs on cameras and/or numerous professional peripherals simultaneously. Featuring a high-quality aluminium v-lock release, Hedbox UNIX plates are designed and tested for up to 10,000 battery cycles.

Three (3) D-Tap DC Power Outputs provide 14.8V / 10A for extra devices and peripherals such as on-board recorders, LED lights, monitors, remote follow focus, wireless transmitters etc.

A built-in USB 5V / 2.1A Power Output is located on the top of the UNIX plate.

Designed with versatility in mind UNIX plates have multiple mounting holes to provide universal camera connection or peripheral mounting – 4x M3x12 screws are included with UNIX to mount the plate as required.

The UNIX-0BL includes a hard-wired 50cm power cable with 2-pin Push Pull FHG.1B.302 Male Right Angle Connector that can be used to power Teradek products and various professional photo/video devices that accept FGG.0B.302 or FHG.1B.302 Connectors.

In the box:

- 1x UNIX-0BL V-MOUNT PLATE WITH BREAKAWAY 50CM CABLE 2-PIN PUSH PULL FHG.1B.302 MALE RIGHT ANGLE CONNECTOR
- 1x SET SCREW M3X12 (4PCS)
- 1x USER MANUAL
- 1x 2 YEAR LIMITED MANUFACTURER'S WARRANTY

