



Hedbox UNIX-4X

ProdCode: HEDUNIX4X

Professional Cine Battery V-Mount Plate



[Download Images] (.zip file)

Features

- Professional Cine Battery V-Mount Plate
- **Supplied Breakaway 50cm DC Cable with 4-Pin XLR Female Connector**
With an installed breakaway DC 14.8V / 10A / 148W power cable, UNIX-4X can be used to power various cameras and devices in the video and photo market. The breakaway cable is a 50cm long, standard 4-pin XLR Female connector included
- **High Quality Aluminium V-lock release**
Adopting technology that allowed us to use a high-quality aluminum alloy V-lock release, the lock and unlock provides up to 10,000 cycles for a V-mount battery on the Unix plate
- **3 x D-Tap DC Power Output**
Unix provides three D-Tap 14.8V / 10A DC power outputs. Three D-taps allow for extra powering for cameras, onboard recorders, LED lights, monitors, remote follow focus, wireless transition systems, etc.
- **Multiple Mounting holes for universal camera connection**
With multiple mounting holes, (4 x M3x12 screws provided) Unix is able to mount onto any device or camera connection
- **Built-in USB 5V / 2.1A Power Out Socket**
The USB 5V / 2.1A output can be used to power any external USB electronic devices. This function allows you to use the Unix V-lock plate like a power

station to charge your cell phone, tablet, or any other electronic devices that can be powered with USB 5V power

UNIX Professional Cine Battery V-Mount Plate enables the use of V-Lock battery packs on cameras and/or numerous professional peripherals simultaneously. Featuring a high-quality aluminium v-lock release. Hedbox UNIX plates are designed and tested for up to 10,000 battery cycles.

Three (3) D-Tap DC Power Outputs provide 14.8V / 10A for extra devices and peripherals such as on-board recorders, LED lights, monitors, remote follow focus, wireless transmitters etc.

A built-in USB 5V / 2.1A Power Output is located on the top of the UNIX plate.

Designed with versatility in mind UNIX plates have multiple mounting holes to provide universal camera connection or peripheral mounting – 4x M3x12 screws are included with UNIX to mount the plate as required.

The UNIX-4X includes a hard-wired 50cm power cable with a 4-Pin XLR (Female) Connector that can be used to power various cameras and other professional photo/video devices that accept 4-pin.

In the box:

- 1x UNIX-4X V-MOUNT PLATE WITH BREAKAWAY 50CM CABLE 4-PIN XLR FEMALE CONNECTOR
- 1x SET SCREW M3X12 (4PCS)
- 1x USER MANUAL
- 1x 2 YEAR LIMITED MANUFACTURER'S WARRANTY

