

## **Hedbox UNIX-DC**

ProdCode: HEDUNIXDC

Professional Cine Battery V-Mount Plate



[Download Images] (.zip file)

## **Features**

- Professional Cine Battery V-Mount Plate
- Supplied Breakaway 50cm DC Cable with DC5.5×2.1 Jack Connector
  With an installed breakaway DC 12V / 2.1A / 25W power cable, UNIX-DC can
  be used to power various cameras and devices in the video and photo market.
  The breakaway cable is a 50cm long, standard DC5.5×2.1 Jack Connector
  included
- High Quality Aluminium V-lock release
   Adopting technology that allowed us to use a high-quality aluminum alloy V-lock release, the lock and unlock provides up to 10,000 cycles for a V-mount battery on the Unix plate
- 3 x D-Tap DC Power Output

Unix provides three D-Tap 14.8V / 10A DC power outputs. Three D-taps allow for extra powering for cameras, onboard recorders, LED lights, monitors, remote follow focus, wireless transition systems, etc.

- Multiple Mounting holes for universal camera connection
  With multiple mounting holes, (4 x M3x12 screws provided) Unix is able to
  mount onto any device or camera connection
- Built-in USB 5V / 2.1A Power Out Socket
   The USB 5V / 2.1A output can be used to power any external USB electronic devices. This function allows you to use the Unix V-lock plate like a power

tation to charge your cell phon an be powered with USB 5V /	ne, tablet, or any o 2.1A power	ther electronic devices	that

UNIX Professional Cine Battery V-Mount Plate enables the use of V-Lock battery packs on cameras and/or numerous professional peripherals simultaneously. Featuring a high-quality aluminium v-lock release, Hedbox UNIX plates are designed and tested for up to 10,000 battery cycles.

Three (3) D-Tap DC Power Outputs provide 14.8V / 10A for extra devices and peripherals such as on-board recorders, LED lights, monitors, remote follow focus, wireless transmitters etc.

A built-in USB 5V / 2.1A Power Output is located on the top of the UNIX plate.

Designed with versatility in mind UNIX plates have multiple mounting holes to provide universal camera connection or peripheral mounting – 4x M3x12 screws are included with UNIX to mount the plate as required.

The UNIX-DC includes a hard-wired 50cm power cable with a DC5.5×2.1 Jack Connector that can be used to power various Cameras, Camcorders and other professional photo/video devices that accept DC5.5x2.1mm Jack.

## In the box:

- 1x UNIX-DC V-MOUNT PLATE WITH BREAKAWAY 50CM CABLE DC5.5×2.1 JACK CONNECTOR
- 1x SET SCREW M3X12 (4PCS)
- 1x USER MANUAL
- 1x 2 YEAR LIMITED MANUFACTURER'S WARRANTY

