



## Ikan GH20

**ProdCode: IKAGH20**

100mm Pro Fluid Video Head, 44 lbs Max Payload Capacity, Adjustable Counterbalance (E-Image)



[\[Download Images\]](#) (.zip file)

### Features

- 100mm Pro Fluid Video Head, 44 lbs Max Payload Capacity, Adjustable Counterbalance (E-Image)
- Payload Range 44 lbs. / 20kg
- Counterbalance Adjustment: 0-8
- 100mm Ball Bowl Size
- Bubble Level
- Dual Sided Pan/Tilt Arm Rosette Mounts (one arm included)
- Pan & Tilt Locks / Fixed Pan & Tilt Drag Setting
- Heavy Duty Telescoping Pan/Tilt Arm
- Dimensions: 210 x 70 x 10mm

## **100mm Bowl Size**

Compatible with a 100mm ball adapter and 3/8"-16 stud, this design allows fast and precise leveling of the fluid head without readjusting the tripod legs—ideal for complex setups.

## **Integrated Bubble Level**

A built-in bubble level on the fluid head ensures quick and accurate leveling for efficient setup.

## **Real Fluid Damping System**

Features 0-8 steps of Counterbalance adjustment. This offers precise counterbalance tuning to match your camera's payload, allowing smooth, resistance-free movement as if the camera were weightless.

## **P3 Quick Release Plate**

Includes the P3 quick release plate, compatible with the GH20 head. Designed for fast setup and secure mounting.

## **Sliding Plate Mechanism**

The sliding design enables easy forward and backward adjustment with a 6" slide range, simplifying balance and operation.

## **GB3 Telescopic Handle Included**

Comes with an extendable handle (405–605mm / 15.9–23.8in) to improve reach and enhance control during operation.

### **In the box:**

- 1x GH20 Head
- 1x GB3 Pan Handle
- 1x P3 Base Plate

