



Lumens OIP-D40D

ProdCode: LUMOIPD40D

Full HD 1G Decoder



[Download Images] (.zip file)

Features

- Delivers 1080p pristine video quality with ultra-low latency
- Long-distance IP-based A/V transmission
- Video wall deployment with portrait and landscape orientation
- Intuitive Web-based GUI for AV distribution and control (*with [OIP-D50C](#))
- Entry-level A/V distribution solution
- 5 Year Warranty

High Quality with Ultra-Low Latency

The [OIP-D40E](#) / [OIP-D40D](#) delivers 1080p pristine video quality with ultra-low latency. Powerful visually lossless compression technology enables crystal-clear video without losing video quality at fast speed.

Long-Distance IP-based A/V Transmission

The OIP-D40E / OIP-D40D bridges the video sources and digital displays over the standard 1Gbps network. The OIP solution can transmit videos over a long distance and arbitrarily adjust the number of endpoint devices without an extra network switcher.

User-Friendly Web GUI

Intuitive Web-based GUI allows users to preview the video source and quickly deploy video sources to displays or video walls in real-time via laptops, tablets, or mobile phones. (*with [OIP-D50C](#))

Video Wall Deployment

With portrait and landscape orientation, you can create your desired shape of video walls that gives your audience an ultimate visual experience.

Applications

Sports Bar, Casino, Control Room, Sports Arena.

