



Magewell Eco Capture AIO M.2

ProdCode: MAGECOCAPAIOM2

One-channel 2K capture card for all-in-one interfaces



[\[Download Images\]](#) (.zip file)

Features

- One-channel 2K capture card for all-in-one interfaces
- Support one-channel 2K HDMI/SDI input with embedded audio
- M.2 2280 standard size for small or portable chassis
- Input Interface: HDMI x1, with input resolution up to 2048 x 1080 pixels | SD/HD/3G/2K SDI x1, with input resolution up to 2048 x 1080 pixels
- Host Interface: M.2 2280 Type M (PCIe Gen2 x2)

Video Engine

- Auto detection of input signal format
- Colour formats conversion
- Low latency mode
- SG-DMA transmission mode
- Multiple replicated capture streams
- Closed caption (SDK required)

Software

- Window & Linux driver and SDK
- Upgradable firmware

- Compatible with Capture Express, Magewell Bridge for NDI®, Plugin for Premiere®

Other Features

- Continuously work for 24hx7
- LED status indicator
- Multiple devices on one host
- On-board dip switch to set card number
- 2-year Warranty

In the box:

- Eco Capture AIO M.2
- 1x FPC to HDMI type A adapter
- 1x FPC ribbon cable (20 cm)
- 1x MMCX to SDI breakout

