



Magewell Pro Capture Dual SDI

ProdCode: MAGEPROCAPDSDI

Two-channel HD capture card



[\[Download Images\]](#) (.zip file)

Features

- Two-channel HD capture card
- Input Interface: SD/HD/3G/2K SDI x2
- Supports input/loop-through resolution up to 2048×1080 pixels
- Loop-through Interface: SD/HD/3G/2K SDI x2
- Host Interface: PCIe Gen2 x4

Video Engine

- 10-bit video processing
- Deinterlace
- Cropping
- Colour Adjustment
- Hardware Timestamp
- Colour Space Conversion
- Up/down Conversion
- Aspect Ratio Conversion
- OSD
- SG-DMA Transmission mode

Signal Detection & Support

- Auto Detection of Input Signal Format
- Time Code
- Closed Caption

Software Environment

- OS: Windows, Linux, Mac
- Driver and Firmware: Universal Driver, Updatable Firmware
- Included Software: Capture Express
- Compatible Software: 50+

Other Features

- Multiple Capture Streams
- Low Latency Mode
- Multiple Devices on One Host
- Mounting Hole
- Continuously Work for 24hx7
- High-speed Memory
- LED Status Indicator
- Rotary Switch
- Windows, Linux and Mac SDK
- 2-year Warranty

In the box:

- Pro Capture Dual SDI
- Low Profile Bracket
- 2x SMA to BNC cable

