



Magewell Pro Convert SDI TX

ProdCode: MAGEPROCONSDITX

Converts one-channel of 3G-SDI input signal into Full NDI®



[\[Download Images\]](#) (.zip file)

Features

- Converts one-channel of 3G-SDI input signal into Full NDI®
- Supports up to 2048x1080 60fps input signals
- Connects existing source equipment into NDI-enabled, IP-based media networks
- Plug-and-play ease of use with automatic input format detection and DHCP network configuration

Input Features

- 3G-SDI input
- Support for up to 2048x1080 60fps input
- Support for up to 16 (mono) audio channels

NDI® Format

- Support for up to 2048x1080 60fps 4:2:2 8-bit NDI encoding
- Send NDI streams across network segments
- Remotely control PTZ cameras via NDI
- Support for NDI 5.x

Features & Advantages

- Very low latency
- Advanced configuration and device status through intuitive Web GUI
- Tally lights and camera mounting for live production applications
- HTTP-based APIs for custom integration
- Provide Crestron Plugins
- Provide Q-SYS Control Plugins

In the box:

- Pro Convert SDI TX
- 1x Power Adapter (US/EU/UK/AU/JP)
- 1x USB Type A to Type B cable
- 1x Mini DIN8 to DIN8+DB9 cable
- 1x Tally Light
- 1x L bracket

