



OpTech Utility Strap Sling - Black

ProdCode: OPTE8353

Neoprene sling with 1 or 2 Uni-Loop connectors. Rec load 6.8kg. Length 26.5-31"



[\[Download Images\]](#) (.zip file)

Features

- Comfortably carry heavy equipment for extended periods of time with the internal control-stretch sys
- Evenly distributes weight with its curved neoprene pad
- Non-skid surface keeps the strap securely on your shoulder
- Attaches to strap connection points on the camera body, where the body is designed to carry the load
- Leaves the tripod mount free for use
- Convertible to right shoulder use with the addition of the System Connectors - Gender Changers™
- Made in the USA

The Utility Strap™ Sling offers rapid access to your camera or binoculars while maintaining the security of a strap worn across the shoulder.

The Utility Strap™ Sling comes with two of OP/TECH USA's Uni-Loop Connectors™. Most cameras will only need one, but for cameras with a third strap-connection point or when used with a battery grip, the second Uni-Loop Connector™ will be used.

Your gear hangs securely at your side and will glide up and down the sling without interfering with a camera's tripod connection.

The neoprene, internal elastic and non-skid surface are bonded together to form a comfortable, durable strap.

OP/TECH USA's quick disconnects (QDs) are rated at 66kg (146lb) tensile strength, so you know your gear is secure.

In the box:

- Utility Strap Sling Black

