



Panasonic LUMIX H-X1025

ProdCode: PANHX1025E

LEICA DG VARIO-SUMMILUX 10-25mm / F1.7 ASPH. MFT Lens

[\[Download Images\]](#) (.zip file)

Features

- LEICA DG VARIO-SUMMILUX 10-25mm / F1.7 ASPH. MFT Lens
- The full-range F1.7 high-speed aperture provides beautiful bokeh and outstanding image quality
- Features three aspherical lenses and four ED (Extra-low Dispersion) lenses that will effectively suppress axial chromatic aberration and chromatic aberration of magnification
- Compatibility with a maximum 240-fps high-speed sensor drive realizes high-speed, high-precision auto focusing
- The optical design achieves exceptional barycentric stability to minimize image shifts during zooming
- The rugged dust/splash-resistant*1 design withstands use under harsh conditions even in 10 degrees below zero for high mobility

In the box:

- Lens cap
- Lens rear cap
- Lens hood
- Lens storage bag

Specifications

- **Closest Focusing Distance:** 0.28m / 0.92ft
- **Diagonal Angle of View:** 94° (Wide) - 47° (Tele)
- **Filter Size:** 77mm
- **Focal Length:** f=10-25mm (35mm camera equivalent 20-50mm)
- **Geared Focus / Iris:** No
- **Lens Construction:** 17 elements in 12 groups (3 aspherical lenses, 4 ED lenses, 1 UHR lens)
- **Lens Type:** Zoom
- **Maximum Aperture:** F1.7
- **Maximum Diameter:** 87.6mm / 3.45"
- **Maximum Magnification:** Approx. 0.14x / 0.28x (35mm camera equivalent)
- **Minimum Aperture:** F16
- **Mount Type:** MFT
- **No. Diaphragm Blades:** 9 diaphragm blades
- **Weather Proof:** Dust and Splash Resistant
- **Weight:** Approx. 690g / 24.34oz (excluding lens cap, lens rear cap and lens hood)