

## Panasonic LUMIX S-E2460E

ProdCode: PANSE2460E

Lumix S Standard Zoom Lens 24-60mm/ F2.8

[Download Images] (.zip file)

## **Features**

- Lumix S Standard Zoom Lens 24-60mm/ F2.8
- Image quality

F2.8 brightness throughout the zoom range

Compact design

Compact and leightweight to carry arround

Versatile use 1

Versatile coverage from 24mm wide-angle to 60mm standard

Versatile use 2

Closest focusing distance is just 0.19m

• Ideal for Videography

Suppression of focus breathing silent focusing

Toughness

Dust-, splash and freeze resistant

The LUMIX S-E2460E is a premium standard zoom lens featuring a large aperture of F2.8 throughout its versatile zoom range. Its unique compact and lightweight design enhances mobility, making it an ideal choice for dynamic landscape and architectural photography, exploiting the 24mm wide-angle perspective, as well as for capturing beautifully bokeh-rich portraits at the 60mmfocal length.

Additionally, with the Hybrid Zoomfeature (This function combines optical zoom and crop zoom, allowing you to extend the telephoto range using only the zoom ring without changing the focal length at the wide-end.), you can extend your zoom range up to 187mm for both photos and videos. The large aperture of F2.8 provides high-resolution performance and exquisite bokeh across the zoom range, enabling fast shutter speeds and minimizing subject blur even in low-light conditions.

## **Specifications**

• Closest Focusing Distance: 19cm (at 24-30mm focal length)

• Diagonal Angle of View: 84° (WW) – 40° (Tele)

• Dimensions: approx. 84,0 x 99,9 mm

• Filter Size: 77 mm

• Focal Length: 24-60mm

• Lens Construction: 14 elements in 12 groups (3 asph. lenses, 1 UED lens, 2

ED lenses)

Maximum Aperture: F2.8
Minimum Aperture: F22
Weight: aprrox. 544 g