



Shure SLXD2/B87A

ProdCode: SHUSLXD2B87AK59

Handheld Microphone with B87A Capsule



[\[Download Images\]](#) (.zip file)

Features

- Handheld Microphone with B87A Capsule
- Transparent 24-bit digital audio
- Extended 20 Hz to 20 kHz frequency range (microphone dependent)
- 118 dB dynamic range
- Digital predictive switching diversity
- Operating range of 100 m (300 ft.)
- 44 MHz tuning bandwidth (region dependent)
- 32 available channels per frequency band (region dependent)
- Up to 10 compatible systems per 6MHz TV band; 12 systems per 8 MHz band
- Easy pairing of transmitters and receivers over IR scan and sync
- Up to 8 hours from 2 AA batteries. Upgrade to the optional Shure SB903 Lithium-ion rechargeable battery to monitor battery charge status in hours and minutes, as well as battery life and health statistics
- Rugged metal construction
- Frequency Band: K59 (606-650MHZ)

The SLXD2/B87A, featuring the Beta®87A interchangeable microphone capsule is the choice for confident speech presentation and vocal performance - from lecture halls to live entertainment.

SLX-D® Digital Wireless delivers transparent, 24-bit digital audio and rock solid RF performance with easy setup and rechargeability options in a suite of versatile wireless system configurations. Featuring industry-leading digital wireless technology and design, the SLXD2 easily syncs with a wireless receiver. A variety of interchangeable vocal microphone choices guarantees the right solution for a wide range of applications, from day-long presentations to nighttime performances.

