



Shure SLXD4D

ProdCode: SHUSLXD4DUKK59

Dual Channel Receiver



[Download Images] (.zip file)

Features

- Dual Channel Receiver
- Transparent 24-bit digital audio
- Extended 20 Hz to 20 kHz frequency range (microphone dependent)
- 118 dB dynamic range
- Digital predictive switching diversity
- 44 MHz tuning bandwidth (region dependent)
- 32 available channels per frequency band (region dependent)
- Up to 10 compatible systems per 6MHz TV band; 12 systems per 8 MHz band
- Easy pairing of transmitters and receivers over IR scan and sync
- Up to 8 hours from 2 AA batteries or optional Shure SB903 rechargeable battery
- Interchangeable microphone capsules
- Rugged metal construction
- Frequency Band: K59 (606-650MHZ)

The SLXD4D Dual Receiver is the convenient, streamlining choice for confident speech presentation and vocal performance from lecture halls to live entertainment.

SLX-D® Digital Wireless delivers transparent, 24-bit digital audio and rock solid RF performance with easy setup and rechargeability options in a suite of versatile wireless system configurations. Featuring industry-leading digital wireless technology and design in a convenient dual, full-rack configuration, the SLXD4D saves space and accessories for any size of multi-system configuration. A variety of interchangeable microphone choices guarantees the right solution for a wide range of applications, from day-long presentations to nighttime performances.

