



SLIK PRO AL-324-3W

ProdCode: SLI3276

PRO AL-324-3W Tripod with SH-747 3-Way Head



[\[Download Images\]](#) (.zip file)

Features

- PRO AL-324-3W Tripod with SH-747 3-Way Head
- Features SLIK original R.F.M. (Rapid Flip Mechanism) - easy way to adjust the leg angle
- Bubble level for easy horizon correction

The SLIK PRO AL-300 series compact travel tripod makes an excellent traveling companion for your point-and shoot camera or light-weight Digital SLR.

The PRO AL-324-3W is a successor model of the best-selling PRO 340DX. The new series reduce vibration and increase the torsion strength through a re-engineered low-profile tripod collar and leg joint.

The PRO AL-324 tripod features SLIK original R.F.M. (Rappid Flip Mechanism) that provides an easy way to adjust the leg angle, a bubble level for easy horizon correction and an accessory port that will accept your choice of extension arms for mounting monitors, lights, tablets or other photographic accessories.

The PRO AL-324-3W includes SH-747 which is newly designed 3-way pan & tilt head that features 90 deg. rotatable Arca-Compatible quick-release platform.

Features

3-Way Pan Head System Package

The tripod system package comes with a SH-747 3-way pan & tilt head that features 90 deg. rotatable Arca-Compatible quick-release platform. The 3-way pan & tilt heads offers separate axis controls (up/down, left/right & roll) This provides more precise adjustments on one axis while not affecting the other two axis for accurate framing.

Completely redesigned tripod body & leg joint

The new series is a completely redesigned low-profile collar and leg joint. We have also added an accessory port to the side of the collar that accepts 1/4" or 3/8" accessories like magic arm to hold lights, phones or tablets.

Rapid Flip Mechanism (R.F.M.)

SLIK original Rapid Flip Mechanism (R.F.M.) offers fast and stress-free leg angle adjustments. Simply flip down the lock lever releases the leg lock and allows you to change the leg angle opening to desired position.

