

Wise Advanced PTS-1024

ProdCode: WISEPTS1024

Portable SSD - 1TB with USB 3.1 Type-C

[Download Images] (.zip file)

Features

- Portable SSD GB
- USB 3.1 Gen2, Type-C port
- Speeds of up to 550 MB/s read and 520 MB/s write
- Optimizing for 4K RAW recording up to 60 frame per second
- Certified by Blackmagic Design (256GB and 512GB)
- Hot shoe mount, Velcro strap and USB 3.1 type C to C cable included

THE solid state drive for 4K video production

Unlike general solid state drives for personal computers (PC), Wise Portable & CINEMA SSDs are especially designed for the challenging demands of the video industry. It is developed to be not only fast, but also steady and compatible with a wide range of 4K professional cameras and external monitors.

- Especially For Video Production
 Wise Portable & CINEMA SSDs are built for video shooting with both extremely smooth data streaming and fast recording speed for 4K RAW.
- Speeds Of Up To 550 Mb/s Read And 520 Mb/s Write

 The high-speed performance of the SSD pushes the SATA interface to the limit. The sustained write speed of up to 520 GB/s optimizes your 4K video

productions. With an industry-leading read speed of up to 550 MB/s, you are able to transfer large RAW files in a flash.

Ultimate Durability

Wise Advanced Portable & CINEMA SSDs are water-proof, dust-proof, shock-proof, X-ray proof and can be operated in temperatures ranging from 32°F to 158°F (0°C to 70°C).

Model	PTS-512	PTS-1024	PTS-2048
Capacity	512GB	1TB	2TB
Read Speed	550 MB/s	550 MB/s	550 MB/s
Write Speed	520 MB/s	520 MB/s	520 MB/s
Interface		SATA Revision 3.0 (6 Gb/s)	
Dimensions		102 x 32 x 9 mm	
Weight	29g / 0.06 lbs		
Operating	32°F to 158°F (0°C to 70°C)		
temperature			
Storage temperature	-1	3°F to 185°F (-25°C to 85°C)	

In the box:

- 1x 1TB Portable SSD
- 1x USB 3.1 Type C to C Cable
- 1x Hot Shoe Mount
- 1x Velcro Strap
- Quick Start Guide

Specifications

• Capacity: 1TB

• **Dimensions:** 102 x 32 x 9mm

• Operating Temperature: 32°F to 158°F (0°C to 70°C)

• Read Speed: 550 MB/s

• Storage Temperature: -13°F to 185°F (-25°C to 85°C)

Weight: 29g / 0.06 lbs
 Write Speed: 520 MB/s