



YoloLiv YoloBox Extreme Cage

ProdCode: YOLOEXTRCAGE

Professional-Grade Cage for YoloBox Extreme



[\[Download Images\]](#) (.zip file)

Features

- Professional-Grade Cage for YoloBox Extreme
- Lightweight, Durable, and Flexible
- Aviation-Grade Aluminium Alloy
- Precision CNC machining
- Multiple Expansion Mounts
- Adjustable Angles
- Quick-Release Sun Hood
- Built-in Stand for Desktop Use
- Adjustable Cable Clamp

Whether you're live streaming in the studio or producing content out in the field, the YoloBox Extreme Cage is the perfect solution to keep your device protected, organized, and fully functional.

Precision CNC machining

Crafted from high-grade aviation aluminum and precisely CNC-machined, this cage offers a lightweight yet highly durable frame that shields your YoloBox Extreme from accidental bumps, drops, and environmental wear.

Multiple Expansion Mounts

The cage features multiple 1/4"-20 threaded mounting points and two cold shoe mounts, allowing you to attach essential accessories such as microphones, lights, handles, or tripods—giving you a truly customizable live production setup.

180° Adjustable Angles

It's designed specifically for the Extreme, ensuring a snug, secure fit while maintaining full access to all ports and buttons.

Quick-Release Sun Hood

Included is a quick-release sun hood with Velcro attachment, providing instant glare protection for outdoor use without slowing down your workflow.

Built-in Stand for Desktop Use

The cage also includes a foldable built-in desktop stand, eliminating the need for a separate tripod for tabletop streaming setups—making it ideal for content creators working in compact spaces.

Adjustable Cable Clamp

An adjustable cable clamp on the top rail offers 46mm of sliding range, helping you secure HDMI, power, and other cables during use. This prevents accidental disconnections and keeps your setup neat and efficient.

In the box:

- 1x YoloBox Extreme Cage

- 4x M3*10 Screw
- 4x M3*5 Screw
- 2x 1/4 Screw
- 1x 2.5mm Allen Wrench
- 1x 4mm Allen Wrench

