



PTZOptics Link 4K

ProdCode: PT30XLINK4KGY

Dante-enabled Auto-Tracking PTZ camera - 30x | Grey



[\[Download Images\]](#) (.zip file)

Features

- Dante-enabled Auto-Tracking PTZ camera
- Built-In Auto-Tracking
- Wide Dynamic Range
- Up to 4K Resolution @ 60fps
- Dante AV-H
- 3D Noise Reduction

Your Dante Workflow is About to Get Easier

Ready to add video to your Dante setup? With Dante AV-H™ and the latest in auto-tracking capabilities, the Link 4K fits easily into even the most complex Dante design or workflow. The Link 4K combines broadcast quality with Dante's simple discovery, set up and management, simplifying and professionalizing any video production installation.

What is Dante AV-H?

Dante AV-H brings device interoperability and the power of Dante to H.26x endpoints. With Dante AV-H, all video and audio routing, configuration, and management of devices is done with one easy to use platform. The Link 4K will automatically sync up with your Dante system clock leader ensuring seamless audio and video synchronization, and is able to output Dante AV-H video on your network natively, along with audio sources connected to the 3.5mm audio input.

Designed with the Future in Mind

Experience a more intelligent video production workflow with the Move SE's updated user interface and feature set that continually expands based on user feedback. Plus, PTZOptics' one-click firmware updates make it easy to future-proof your investment, with new capabilities continuing to come online as the platform evolves over time. And with 12x, 20x, and 30x optical zoom options, plus PoE, the Move SE can fit seamlessly into any production scenario.

Pan, Tilt, Zoom, Track.

Control your production from behind the scenes – or right in front of them. The Link 4K's auto-tracking can lock onto a specific person, even while other people are in frame. Users can switch between on-stage presenters with the click of a button. The Link 4K can track subjects up to 300 feet away.

In addition to the Link 4K's auto-tracking features, users will also have access to our latest Web UI — updated to provide everything you need in one simple menu. Almost every feature in the Web UI has a tutorial function, perfect for novice producers navigating the settings for the first time.

Discreet Mounting Options

Mount your PTZOptics Link 4K camera above, below or beside the action to capture

the ideal view every time. The Link 4K's automatic video inversion feature senses the camera's orientation and saves time on installation and setup.

Take Control Your Way

Users can control Link 4K cameras using video production software and hardware such as OBS, Livestream Studio, Wirecast, vMix, mimoLive, Tricaster, and the Elgato StreamDeck — or check out one of our hardware joystick controllers such as our IP joystick, serial joystick, or the SuperJoy. The options for camera control are endless, allowing you to take charge of your camera in a way that fits your workflow.

Link 4K cameras can be controlled remotely from anywhere in the world using a variety of tools, including cloud-based software such as PTZOptics Hive and Zoom. Users can also live stream directly to content delivery networks such as Facebook and Youtube.

PTZOptics cameras are compatible with a wide range of free software solutions, including:

- Control apps for desktop and mobile devices
- Plugins and integrations for popular platforms, including OBS
- Camera configuration and management tools
- Support and testing utilities
- And more!

In the box:

- Camera
- AC Power Supply
- USB A-A Cable
- RS-232C Cable
- Quick Start Guide
- IR Remote
- 2 AA Batteries

